



ISSN 1454-9166

**ANNALS
OF THE UNIVERSITY OF PETROSANI**
MECHANICAL ENGINEERING

VOL. 14 (XLI)

**Editura UNIVERSITAS
PETROȘANI – ROMANIA
2012**

ISSN 1454-9166

EDITOR OF PUBLICATION

Prof.Eng. Ioan-Lucian BOLUNDUȚ Ph.D.

E-mail: ibol@upet.ro

ADVISORY BOARD

Prof.Eng. Moise-Ioan ACHIM Ph.D. - “1 Decembrie 1918” University of Alba-Iulia, *Romania*;
Prof.Eng. Nicolae-Napoleon ANTONESCU Ph.D. - “Petroleum-Gas” University of Ploiești, *Romania*;
Prof.Eng. Ioan CARTIȘ Ph.D. - Politechnical University of Timișoara, *Romania*; **Prof.Eng. Ion COPACI Ph.D.** - “Aurel Vlaicu” University of Arad, *Romania*; **Prof.Eng. Ioan CURTU Ph.D.** - “Transilvania” University of Brașov, *Romania*; **Prof.Eng. Predrag DAŠIĆ Ph.D.** - High Technical Mechanical School R. Krstića, Trstenik, *Serbia*; **Prof.Eng. Sorin DIMITRIU Ph.D.** - “Politehnica” University of București, *Romania*; **Prof.Eng. Valeriu DULGHERU Ph.D.** - Technical University of Moldova, Chișinău, *Republic of Moldova*; **Prof.Eng. Carmen FLOREA Ph.D.** - University of Petroșani, *Romania*; **Assoc.Prof.Eng. António GONÇALVES-COELHO Ph.D.** - Universidade Nova de Lisboa, *Portugal*; **Prof.Eng. Otto GRIGOROV Ph.D.** - National Technical University of Kharkov, *Ukraine*; **Prof.Eng. Anatoli GHRABCHENKO Ph.D.** - National Technical University of Kharkov, *Ukraine*; **Prof.Eng. Nicolae ILIAȘ Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Baki KARAMIȘ Ph.D.** – Erciyes University, Kayseri, *Turkey*; **Prof.Eng. Iosif KOVACS Ph.D.** - University of Petroșani, *Romania*; **Assoc.Prof.Eng. Gábor LADÁNYI Ph.D.** - University of Miskolc, *Hungary*; **Prof.Eng. Andrei MAGYARI Ph.D.** - University of Petroșani, *Romania*; **Assoc.Prof.Eng. Traian MAZILU Ph.D.** - “Politehnica” University of București, *Romania*; **Prof.Eng. Oleksandr MIKHAYLOV Ph.D.** - Donetsk National Technical University, *Ukraine*; **Prof.Eng. Marin-Silviu NAN Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Gyula PATKO Ph.D.** - University of Miskolc, *Hungary*; **Prof.Eng. Eugen PAY Ph.D.** – North University of Baia-Mare, *Romania*; **Assoc.Prof.Eng. Eugen PĂMÎNȚAȘ Ph.D.** - Politechnical University of Timișoara, *Romania*; **Prof.Eng. Octavian PRUTEANU Ph.D.** - Technical University “Gh. Asachi” of Iași, *Romania*; **Prof.Eng. Sorin-Mihai RADU Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Șerban RAICU Ph.D.** - “Politehnica” University of București, *Romania*; **Prof.Eng. Janusz REŚ Ph.D.** – AGH University of Science and Technology, *Poland*; **Prof.Eng. Yuriy SOLOMONZEV Ph.D.** – Moscow State Technological University “Stankin”, *Russia*; **Prof.Eng. Alexei TOCA Ph.D.** - Technical University of Moldova, Chișinău, *Republic of Moldova*; **Prof.Eng. Raul R. TURMANIDZE Ph.D.** - Technical University of Tbilisi, *Georgia*; **Prof.Eng. Vlad ULMANU Ph.D.** - “Petroleum-Gas” University of Ploiești, *Romania*; **Prof.Eng. Nicolae UNGUREANU Ph.D.** – North University of Baia-Mare, *Romania*

EDITORIAL BOARD

Editor-in-chief: **Assoc.Prof.Eng. Sorin MIHĂILESCU Ph.D.** - University of Petroșani, *Romania*

Associate Editors: **Prof.Eng. Iosif ANDRAȘ Ph.D.** - University of Petroșani, *Romania*; **Assoc.Prof. Eng. Iosif DUMITRESCU Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Iosif GRUNEANȚU Ph.D.** - University of Petroșani, *Romania*; **Prof.Eng. Horia SIMASCHEVICI Ph.D.** - University of Petroșani, *Romania*; **Assoc.Prof.Eng. Sorin VĂTAVU Ph.D.** - University of Petroșani, *Romania*

Editor Secretary: **Assoc.Prof.Eng. Gabriel PRAPORGESCU Ph.D.** - University of Petroșani, *Romania*

Editorial office address:

University of Petroșani, 20 University Street, RO-332006 Petroșani, Romania,

Phone: (40) 254/542994, 542580, 542581, 543382; **Fax:** (40) 254/543491;

Telex: 72524 univp; **E-mail:** mihailescu@gmail.com; gpraporgescu@gmail.com

Contents

	pag.
Brînzan, D.D., Florea, V.A., <i>Possibilities for Increasing the Reliability of the Subassemblies of the Ksw-460ne Type Shearer</i>	5
Casavela, S.V., <i>C++ Program for Driving of an Agricol Robot</i>	11
Crețan, R., Iliăș, N., Radu, S.M., <i>Considerations about Long Wall – Mechanized Complexes in the Mines in the Jiu Valley</i>	20
Dandea, L.D., Nan, M.S., <i>Research Regarding The Use Of Image Analysis Software For Improving The Control Of Bucket Wheel Excavators</i>	26
Dumitriu, M., <i>On the Bogie Hunting in a Track with Random Irregularities</i>	33
Grygorov, O.V., Gubskiy, S.O., Strizhak, V.V., Okun, A.O., <i>Remaining Life Definition of Crane Metal Construction on Value of Coercive Forces</i>	46
Itu, V., Dumitrescu, I., Ridzi, M.C., Cozma, B.Z., <i>Calculation of Falling Acceleration and Speed in Case of Damage of Transportation Vessel of the Mud Evacuation Installation at Auxiliary Shaft No. 12 in Lupeni Mining Plant</i>	53
Jula, D., Praporgescu, G., <i>Reliability and Maintainability Calculus of Vibrating Drainage Screens in Coal Processing Plant</i>	63
Košinár, M., Císar, M., Kuric, I., Ungureanu, N., <i>Comparison of Geometric Accuracy of Machine Tools for Various Technological Conditions and Different Worktable Positions</i>	72
Kovacs, I., Nan, M.S., Andraș, I., Tomuș, O.B., Andraș, A., <i>Comparative Study of Mechanical Rock Cutting</i>	82
Loga, W., Dinescu, S., <i>Metering Pumps for Consistent Grease Defects Study Used at Bucket Wheel Excavator E_{sr}c 1400</i>	88
Lupulescu, M., Jula, D., <i>Ultrafiltration System for Treatment of the Wastewater from Uranium Processing Plant in Feldioara</i>	94
Novak-Marcincin, J., <i>Design of Manufacturing Systems by Rapid Prototyping Technology Application</i>	104
Mazilu, T., <i>Wire Response Due to a Moving Force</i>	112
Mihăilescu, S., Praporgescu, G., <i>Study the Possibility of Reducing the Amount of Dust in the Corbu Coal Storage Using Wetting Plants</i>	122
Nicolae, L., Florea, C., Furdui, E.T., <i>Centralized System of Tracking Behaviour in Spare Parts, Solution to Improve the Technical and Economic Coal Mining Indicators at C.N.H – Petroșani</i>	134
Petrini, M., <i>Neural Network for Identification of Induction Machine Parameters</i>	141
Pleșea, V., Vlaicu-Popa, M.E., Nimară, C., <i>Productive Intelligent System of Goods Conveyance for Logistics Sites</i>	147

	pag.
Popa, M., Raicu, Ș., Roșca, E., <i>Financial and Technical Issues of Ramnicu Valcea - Valcele Rail Connection</i>	153
Praporgescu, G., Mihăilescu, S., <i>Study the Possibility of Lubrication for Rolling Bearings</i>	164
Ridzi, M.C., Dumitrescu, I., Itu, V., Tomescu, C., <i>Analysis of the No. 6 Metal Tank in Park No. 1 Independența of S.C. O.M.V. Petrom S.A. by Finite Element Method</i>	171
Stanciu, M.D., Curtu, I., Terciu, O.M., <i>Studies on Structural Optimization of Lignocelluloses Composite</i>	177
Tănăsioiu, A., Copaci, I., <i>Study on the Shock Caused by Collision of Railway Vehicles</i>	187
Ungureanu, M., Ungureanu, N., Anti, A., <i>Study of Materials for Brake Drums</i> .	207
Vătavu, S., Vătavu, N., <i>The Study of Hydrodynamic Systems Used in Rail Transport</i>	211
Index of Authors	219
Instructions for Authors	220

INDEX OF AUTHORS

A		M	
Andraș, I.,	82	Mazilu, T.,	112
Andraș, A.,	82	Mihăilescu, S.,	122, 164
Anti, A.,	207	Nan, M.S.,	26, 82
B		Nicolae, L.,	134
Brînzan, D.D.,	5	Nimară, C.,	147
C		Novak-Marcincin, J.,	104
Casavela, S.V.,	11	O	
Císar, M.,	72	Okun, A.O.,	46
Copaci, I.,	187	P	
Cozma, B.Z.,	53	Petrini, M.,	141
Crețan, R.,	20	Pleșea, V.,	147
Curtu, I.,	177	Popa, M.,	153
D		Praporgescu, G.,	63, 122, 164
Dandea, L.D.,	26	R	
Dinescu, S.,	88	Radu, S.M.,	20
Dumitrescu, I.,	53, 171	Raicu, Ș.,	153
Dumitriu, M.,	33	Ridzi, M.C.,	53, 171
F		Roșca, E.,	153
Florea, V.A.,	5	S	
Florea, C.,	134	Stanciu, M.D.,	177
Furdui, E.T.,	134	Stryzhak, V.V.,	46
G		T	
Grygorov, O.V.,	46	Tănăsioiu, A.,	187
Gubskiy, S.O.,	46	Terciu, O.M.,	177
I		Tomescu, C.,	171
Iliăș, N.,	20	Tomuș. O.B.,	82
Itu, V.,	53, 171	U	
J		Ungureanu, M.,	207
Jula, D.,	63, 94	Ungureanu, N.,	72, 207
K		V	
Košinár, M.,	72	Vătavu, N.,	211
Kovacs, I.,	82	Vătavu, S.,	211
Kuric, I.,	72	Vlaicu-Popa, M.E.,	147
L			
Loga, W.,	88		
Lupulescu, M.,	94		

INSTRUCTIONS FOR AUTHORS¹

THE TITLE OF THE PAPER WILL BE WRITTEN WITH CAPITAL LETTERS, CENTERED, AT 7.0 cm FROM THE UPPER EDGE OF A4 FORMAT, ALONG THE ENTIRE WIDTH, TIMES NEW ROMAN, 14 POINTS, BOLD.

· (14 points)

· (14 points)

The first name and the family name will be written with CAPITAL LETTERS, BOLD, CENTERED, 130 mm width, Times New Roman, 12 points, each name being followed by number, and in the footnote the didactic and scientific degree, the position and place of work of the authors (possibly fax, E-mail) are indicated, with italics, 130 mm width, Times New Roman, 11 points.

· (12 points)

· (12 points)

<Tab> Abstract: (Times New Roman, 10 points, bold) The Abstract will only be in English and will have between 50 and 100 words, arranged all over the entire width, single, left – right alignment, all over the width of the printed space, Times New Roman, 10 points.

· (10 points)

· (10 points)

<Tab> Key words: (Times New Roman, 10 points, bold) 5 – 10 words, in English, along the entire width, Times New Roman, 10 points.

· (10 points)

· (10 points)

· (10 points)

<Tab> 1. THE TITLE OF THE CHAPTER IS WRITTEN WITH CAPITAL LETTERS, BOLD, TIMES NEW ROMAN, 11 POINTS AND WILL BE NUMBERED WITH ARABIC NUMBERS.

· (11 points)

<Tab> The paper text paragraphs will be left – right aligned. The lines of the entire text will be single spaced with Times New Roman fonts, size 11 points.

The paper will be edited in a language of international circulation (English, French, German) on A4 format (210 x 297), page setup: top 5.6 cm, bottom 4.6 cm, left 3.7 cm, right 3.7 cm, in WORD and the number of pages must be even between 4 and 16. The size of the symbol is given next and is written in the instructions used to assist in editing the text. It indicates a blank line and does not show in the text of the paper, being obtained by pressing <ENTER>. The size of a <Tab> is 1.27 cm. No blank line is left between the paragraphs. Between the last line before the title and the title of the chapter and between the title and the first next line a blank line is left for each.

¹ *Professor Eng., Ph.D. at the University of Petroşani, email adress*

<Tab> **1.1 Subchapter. Subchapters can be used in the text, numbered with the number of the chapter and a number showing the number of the subtitle within the chapter. The subchapters and the numbers are Times New Roman, 11 points, bold.**

· (11 points)

The text is written in new paragraph and not continuing the subtitle, an 11 point blank line being left between the subtitle and the following text.

· (11 points)

2. PRESENTATION OF THE FIGURES

· (11 points)




Fig. 1. Detachable bit

Figures should be enclosed in the text in the order of their presentation, as far as possible on the page where reference is made to them. They shall be numbered with Arabic numbers. Black – and – white, high contrast figures are recommended. Photos can be used as well, but they should be of good quality, clarity and sufficient contrast. The figures will have a legend (name of the figure), which, along with the number, will be written underneath with Times New Roman, 10 points, centered as to the figure. The figures will be surrounded by text.

· (11 points)

3. PRESENTATION OF THE TABLES

· (11 points)

The tables will be enclosed in the text, a 10 points blank line being left above and under the table, and will be numbered with Arabic numbers. Both the number and the explanations to the table are written with Times New Roman, 10 points, italic, for the number and bold for the explanation to the table, centered in the space of the table and above it. The table entries will be Times New Roman, 10 points, bold, and the data in the table will be Times New Roman, 10 points. The thin lines of the table will be ½ points (0.02 cm), and the thick ones will be ¾ ... 1 points (0.03 ... 0.04 cm).

· (11 points)

4. PRESENTATION OF THE MATHEMATICAL EQUATIONS

· (11 points)

The mathematical equations will be with times New Roman, 11 points, center of the page and numbered on the right with Arabic numbers between round brackets.

· (8 points) <Blank line 8 point high>

$$X^2 + Y^2 = Z^2 \quad (1)$$

· (8 points) <Blank line 8 point high>

An 8 point high blank line is left between the last line before the relation and the relation and between the latter and the next first line.

The last page will be at least 2/3 full.

The pages of the paper will only be numbered by a pencil outside the printing space.

· (11 points)

REFERENCES (will be written according to the model, Times New Roman 10 points).

· (10 points)

[1]. **Marian I.**, *Mining mechanization*, Technical Publishing House, Bucharest, 1969 (Romanian language)